

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	38	(US-20030224823-\$ or US-20030054810-\$ or US-20020058494-\$ or US-20030123669-\$ or US-20030166398-\$).did. or (US-6751731-\$ or US-6694431-\$ or US-6741848-\$ or US-5864757-\$ or US-6157941-\$ or US-6252868-\$ or US-6934391-\$ or US-6526027-\$ or US-5222137-\$ or US-6993359-\$ or US-6539237-\$).did. or (GB-2384392-\$ or WO-3003772-\$ or WO-9856201-\$).did. or (GB-2367933-\$ or WO-200049766-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 14:58
L2	38	l1 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:17
L3	15	(IMEI near10 key\$5 near10 encrypt\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:06
L4	2	(SMS and IMEI) near10 (key\$5 near10 (encrypt\$5 or authenti\$6 or decryp\$6 or secure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:16
L5	168	(SMS or IMEI) near10 key\$5 near10 (encrypt\$5 or authenti\$6 or decryp\$6 or secure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:17
L6	96	l5 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:29

EAST Search History

L7	29	((SMS or IMEI) near10 key\$5 near10 (encrypt\$5 or authenti\$6 or decryp\$6 or secure)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:28
L8	12	I7 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:18
L9	30	((((SMS or IMEI) with key\$5) near10 (encrypt\$5 or authenti\$6 or decryp\$6 or secure)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:35
L10	13	I9 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:51
L11	2	SMS ((IMEI near2 key\$5) near10 (encrypt\$5 or authenti\$6 or decryp\$6 or secure)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:36
L12	2	(SMS and ((IMEI near2 key\$5) near10 (encrypt\$5 or authenti\$6 or decryp\$6 or secure))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:37
L13	2	(SMS and ((IMEI near5 key\$5) near10 (encrypt\$5 or authenti\$6 or decryp\$6 or secure))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:37
L14	2	(SMS and ((IMEI near10 key\$5) near10 (encrypt\$5 or authenti\$6 or decryp\$6 or secure))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:48

EAST Search History

L15	0	(SMS IMEI key\$5 (encrypt\$5 or authenti\$6 or decryp\$6 or secure)). ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:49
L16	2	(SMS IMEI key\$5 (encrypt\$5 or authenti\$6 or decryp\$6 or secure)). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:50
L17	228	(SMS IMEI key\$5 (encrypt\$5 or authenti\$6 or decryp\$6 or secure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:50
L18	7	(SMS (IMEI near2 key\$5) (encrypt\$5 or authenti\$6 or decryp\$6 or secure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:58
L19	1	l18 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 16:00
L20	6	l18 not l19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:56
L21	9	((Equipmen\$5 near5 Identif\$7 near5 Numbe\$5) or (Internation\$5 near6 Mobil\$5 near6 Equipmen\$5 near6 Identit\$5) or IMEI) key\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/16 16:03
L22	7	l21 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 16:05

EAST Search History

L23	2	I21 not I22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 16:01
L24	186	((Equipmen\$5 near5 Identif\$7 near5 Numbe\$5) or (Internation\$5 near6 Mobil\$5 near6 Equipmen\$5 near6 Identit\$5) or IMEI) key\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/16 16:03
L25	177	I24 not I21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/16 16:04
L26	53	I25 (encrypt\$5 or authenti\$6 or decryp\$6 or secure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/16 16:04
L27	25	I26 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 17:50
L28	40	("5227957" "5276906" "5278890" "5285494" "5289179" "5345498" "5414750" "5414806" "5420863" "5440613" "5440759" "5465386" "5490285" "5519760" "5539730" "5548802" "5561841" "5572579" "5574788" "5577198" "5581596" "5590398" "5592480" "5608854" "5610969" "5613196" "5629978" "5655001" "5666356" "5711006" "5729536" "5752186" "5845211" "5878036" "5920822" "5946634" "5953331" "6188898" "6278697" "H001921").PN. OR ("6912230").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/03/16 17:01

EAST Search History

L29	12	(US-20030236981-\$ or US-20040030906-\$ or US-20030123669-\$ or US-20010039620-\$).did. or (US-6934391-\$ or US-6707915-\$ or US-6741848-\$ or US-6912230-\$ or US-5920822-\$).did. or (US-20030123669-\$ or FR-2812510-\$ or KR-2003023117-\$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2006/03/16 17:44
L30	4	l1 l29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 17:45
L31	46	l1 l29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 17:45
L32	9	Wireless\$5 Equipmen\$5 Identif\$7 Internation\$5 Mobil\$5 IMEI Short\$4 Messag\$4 Servic\$4 SMS Informat\$5 field\$2 Text\$2 network\$2 devic\$3 encrypt\$5 Key\$2 GSM configure\$7 comman\$5 heade\$3 encrypt\$5 authenti\$6 decryp\$6 secure Subscrib\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 18:24
L33	25	l27 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 18:23
L34	3	l32 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 17:50
L35	44	l31 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 18:24

EAST Search History

L36	11	I35 IMEI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 18:25
L37	11	I36 KEY\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 18:26
L38	11	I36 encrypt\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 18:26
L39	9	I36 SMS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 18:27
L40	9	I36 SMS IMEI KEY\$2 ENCRYPT\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 18:58
L41	35	L35 NOT L40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 19:34
L42	9	(US-20030224823-\$ or US-20010039620-\$ or US-20030123669-\$).did. or (US-6539237-\$ or US-6741848-\$ or US-6993359-\$).did. or (GB-2384392-\$).did. or (US-5864757-\$ or US-6993359-\$). did.	US-PGPUB; USPAT; EPO; DERWENT	AND	ON	2006/03/16 19:57

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1286	(Wireless\$5 near5 Termina\$5 near5 Equipmen\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 19:49
S2	4245	(Equipmen\$5 near5 Identif\$7 near5 Numbe\$5) or (Internation\$5 near6 Mobil\$5 near6 Equipmen\$5 near6 Identit\$5) or IMEM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 19:51
S3	11162	(Short\$4 near5 Messag\$4 near5 Servic\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 19:54
S4	22505	(Short\$4 near5 Messag\$4 near5 Servic\$4) or (SMS Messag\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 19:57
S5	19	S1 S2 S3 S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:07
S6	3	S5 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:45
S7	3	S6 encrypt\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:03
S8	2	S7 Key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:04

EAST Search History

S9	2	S7 encrypt\$5 Key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:05
S10	2	S5 S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:11
S11	17	S5 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:07
S12	11214	(Short\$4 near5 Messag\$4 near5 Servic\$4) or (SMS Messag\$4) (Share\$4 near3 Key\$2) (Informat\$5 Data\$2 field\$2) (Text\$2 Data\$2 Field\$2) (Wireless\$5 network\$2) (Mobile\$2 devic\$3) encrypt\$5 Key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:09
S13	98	((Short\$4 near5 Messag\$4 near5 Servic\$4) or (SMS Messag\$4)) (Share\$4 near3 Key\$2) (Informat\$5 Data\$2 field\$2) (Text\$2 Data\$2 Field\$2) (Wireless\$5 network\$2) (Mobile\$2 devic\$3) encrypt\$5 Key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:13
S14	1247	713/168.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:09
S15	3	S13 S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:09
S16	2	S15 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:30

EAST Search History

S17	2	S5 S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:12
S18	2	((Short\$4 near5 Messag\$4 near5 Servic\$4) or (SMS near3 Messag\$4)) (Share\$4 near3 Key\$2) (Informat\$5 near5 Data\$2 near5 field\$2) (Text\$2 near5 Data\$2 near5 Field\$2) (Wireless\$5 near3 network\$2) (Mobile\$2 near3 devic\$3) encrypt\$5 Key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 21:12
S19	7	((Short\$4 near5 Messag\$4 near5 Servic\$4) or (SMS near3 Messag\$4)) (Informat\$5 near5 Data\$2 near5 field\$2) (Text\$2 near5 Data\$2 near5 Field\$2) (Wireless\$5 near3 network\$2) (Mobile\$2 near3 devic\$3) encrypt\$5 Key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:19
S20	0	S19 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:15
S21	1	((Short\$4 near5 Messag\$4 near5 Servic\$4) or (SMS near3 Messag\$4)) (SMS near4 configurat\$5) (TP-User\$2) ((GSM or GPRS or (SMS near Center))) (Wireless\$5 near3 network\$2) (Mobile\$2 near3 devic\$3) encrypt\$5 Key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:22
S22	1	((Short\$4 near5 Messag\$4 near5 Servic\$4) or (SMS near3 Messag\$4)) (SMS near4 configurat\$5) (TP near5 User\$2) ((GSM or GPRS or (SMS near Center))) (Wireless\$5 near3 network\$2) (Mobile\$2 near3 devic\$3) encrypt\$5 Key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:22
S23	3	((Short\$4 near5 Messag\$4 near5 Servic\$4) or (SMS near3 Messag\$4)) (SMS near4 configurat\$5) ((GSM or GPRS or (SMS near Center))) (Wireless\$5 near3 network\$2) (Mobile\$2 near3 devic\$3) encrypt\$5 Key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:29

EAST Search History

S24	4	"615941".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:26
S25	2	"6157941".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:27
S26	9	((Short\$4 near5 Messag\$4 near5 Servic\$4) or (SMS near3 Messag\$4)) (SMS near4 configurat\$5) ((GSM or GPRS or (SMS near Center))) encrypt\$5 Key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:29
S27	3	S26 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:39
S28	0	((Wireless\$5 or Mobile\$2) SMS encrypt\$5 Key\$2).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:39
S29	19	((Wireless\$5 or Mobile\$2) SMS encrypt\$5 Key\$2).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:44
S30	9	S29 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:45
S31	19	((Wireless\$5 or Mobile\$2) (SMS or (Secure\$3 near\$3 messag\$3)) encrypt\$5 Key\$2).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:45

EAST Search History

S32	9	S31 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 21:17
S33	0	S30 not S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:46
S34	14	(US-20030054810-\$ or US-20030123669-\$).did. or (US-6751731-\$ or US-6694431-\$ or US-6539237-\$ or US-6993359-\$ or US-6157941-\$ or US-6252868-\$ or US-6934391-\$).did. or (WO-9856201-\$ or WO-3003772-\$ or GB-2384392-\$).did. or (WO-200049766-\$ or GB-2367933-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	AND	ON	2006/03/15 21:05
S35	2	(Wireless\$5 near5 Termina\$5 near5 Equipmen\$5) ((Equipmen\$5 near5 Identif\$7 near5 Numbe\$5) or (Internation\$5 near6 Mobil\$5 near6 Equipmen\$5 near6 Identit\$5) or IMEM) ((Short\$4 near5 Messag\$4 near5 Servic\$4) or (SMS near3 Messag\$4)) (Informat\$5 near5 field\$2) (Text\$2 near5 Field\$2) (Wireless\$5 near5 network\$2) (Mobile\$2 near5 devic\$3) encrypt\$5 Key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 21:16
S36	8	(Wireless\$5 near5 Termina\$5 near5 Equipmen\$5) ((Equipmen\$5 near5 Identif\$7 near5 Numbe\$5) or (Internation\$5 near6 Mobil\$5 near6 Equipmen\$5 near6 Identit\$5) or IMEM) ((Short\$4 near5 Messag\$4 near5 Servic\$4) or (SMS near3 Messag\$4)) ((Informat\$5 or Text\$2) near5 field\$2) ((Wireless\$5 near5 network\$2) or (Mobile\$2 near5 devic\$3)) encrypt\$5 Key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 21:17

EAST Search History

S37	8	(Wireless\$5 near5 Termina\$5 near5 Equipmen\$5) ((Equipmen\$5 near5 Identif\$7 near5 Numbe\$5) or (Internation\$5 near6 Mobil\$5 near6 Equipmen\$5 near6 Identit\$5) or IMEM) ((Short\$4 near5 Messag\$4 near5 Servic\$4) or (SMS near3 Messag\$4)) ((Informat\$5 or Text\$2) near5 field\$2) ((Wireless\$5 near5 network\$2) or (Mobile\$2 near5 devic\$3) or GSM or GPRS) encrypt\$5 Key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 21:18
S38	2	S37 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 21:17
S39	6	S37 not S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 21:18
S40	19	("5329619" "5410543" "5850517").PN. OR ("6157941").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/03/15 21:21
S41	12	("5081704" "5222137").PN. OR ("6252868").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/03/15 21:24
S42	36	("5602843" "5796729" "5822309" "5970059" "5978386" "5978672" "5999813" "6396820" "6415151").PN. OR ("6539237").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/03/15 21:27
S43	1647	SMS near3 (configure\$7 or instruct\$5 or comman\$5 or UDHI or heade\$3 or TP-User\$2 or (transfer-layer near3 protocol near3 user near2 data) or (mobil\$3 near2 devic\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:42

EAST Search History

S44	1992	GSM (Text\$3 near2 messag\$5) SMS or (Short\$3 near4 messag\$4 near\$ Servic\$3) SMS near3 (configure\$7 or instruct\$5 or comman\$5 or UDHI or heade\$3 or TP-User\$2 or (transfer-layer near3 protocol near3 user near2 data) or (mobil\$3 near2 devic\$3)) ((Equipmen\$5 near5 Identif\$7 near5 Numbe\$5) or (Internation\$5 near6 Mobil\$5 near6 Equipmen\$5 near6 Identit\$5) or IMEI) (Encrypt\$5 near3 SMS near3 messag\$5) (IMEI near4 key\$5 near4 encrypt\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:58
S45	851	S44 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:49
S46	2	(Encrypt\$5 with SMS with messag\$5) (IMEI with key\$5 with encrypt\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:49
S47	6	(Encrypt\$5 same SMS same messag\$5) (IMEI same key\$5 same encrypt\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:49
S48	1	S47 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:57
S49	1	(Encrypt\$5 near3 SMS near3 messag\$5) (IMEI near4 key\$5 near4 encrypt\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:57
S50	0	S49 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 12:00

EAST Search History

S51	1	GSM (Text\$3 near2 messag\$5) (SMS or (Short\$3 near4 messag\$4 near\$ Servic\$3)) (SMS near3 (configure\$7 or instruct\$5 or comman\$5 or UDHI or heade\$3 or TP-User\$2 or (transfer-layer near3 protocol near3 user near2 data) or (mobil\$3 near2 devic\$3))) ((Equipmen\$5 near5 Identif\$7 near5 Numbe\$5) or (Internation\$5 near6 Mobil\$5 near6 Equipmen\$5 near6 Identit\$5) or IMEI) (Encrypt\$5 near3 SMS near3 messag\$5) (IMEI near4 key\$5 near4 encrypt\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:59
S52	30	GSM (Text\$3 near2 messag\$5) (SMS or (Short\$3 near4 messag\$4 near\$ Servic\$3)) (SMS near3 (configure\$7 or instruct\$5 or comman\$5 or UDHI or heade\$3 or TP-User\$2 or (transfer-layer near3 protocol near3 user near2 data) or (mobil\$3 near2 devic\$3))) ((Equipmen\$5 near5 Identif\$7 near5 Numbe\$5) or (Internation\$5 near6 Mobil\$5 near6 Equipmen\$5 near6 Identit\$5) or IMEI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:59
S53	9	S52 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 13:53
S54	0	S53 (IMEI near10 key\$5 near10 encrypt\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 12:01
S55	15	(IMEI near10 key\$5 near10 encrypt\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 13:51
S56	8	S55 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 12:01

EAST Search History

S57	0	(IMEI key\$5 (encrypt\$5 or decrypt\$5 or Authenticat\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/16 13:53
S58	0	(IMEI key\$5 (encrypt\$5 or decrypt\$5 or Authenticat\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/03/16 13:53
S59	33	(IMEI key\$5 (encrypt\$5 or decrypt\$5 or Authenticat\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/16 13:53
S60	13	S59 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 13:54